

# ABB A43 Three Phase Direct

## Part Code: AB080TD

Advanced DIN-rail meter with a large and easy to read back lighted pixel-oriented display. The meter is intended for use in the industry, commercial buildings etc. The meter can be used in 3 or 4 wire systems with a wide voltage range. The meter has several instrumentation values, 25 possible alarms and event logs. Three phase direct connected for active energy. One output for pulses or alarm etc. Accuracy class 1.0 (or B for MID meters). The meter is IEC approved + MID approved and verified.



### Dimensions

Product Net Width	123 mm
Product Net Height	26.5 mm
Product Net Depth / Length	65 mm
Product Net Weight	0.438 kg

### Container Information


Package Level 1 Units	1 piece
Package Level 1 Width	98 mm
Package Level 1 Height	68 mm
Package Level 1 Depth / Length	144 mm
Package Level 1 Gross Weight	0.528 kg
Package Level 1 EAN	7392696705202

### Environmental

Ambient Air Temperature	Operation -40 ... +70 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

### Additional Information

Accuracy	Active Energy Class $\pm 1\%$ (or B for MID meters).
Communication Interface	Other
Communication	Pulse output / IR port
Connecting Capacity Main Circuit	1 ... 25 mm <sup>2</sup>
Current Rating	80 A
Degree of Protection	IP20
Enclosure Material	Plastic
Frequency (f)	50 ... 60 Hz
Function	Electricity meter
Meter Type	Direct connected
Mounting Type	DIN rail
Number of Phases	3
Product Main Type	A43
Product Name	Electricity Meter



### Managed Services

- Meter Data Management
- Billing Solutions
- PAYG Management
- Online Account Management

[sycous.com](http://sycous.com)

Rated Current (In)	80 A
Rated Voltage (Ur)	(Un) L-L 100 ... 500 V (Un) N-L 57,7 ... 288 V
RoHS Date	2011-44
Standards	IEC 62052-11
Sub-Function	Steel

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CMC484001M0201
Declaration of Conformity - CE	2CMC484003D0001
Environmental Information	2CMC484004D0001
Instructions and Manuals	2CMC484003M0201
RoHS Information	2CMC484006

### Classifications

ETIM 4	EC001506 - Electronic kilowatt-hour meter
ETIM 5	EC001506 - Kilowatt-hour meter
ETIM 6	EC001506 - Kilowatt-hour meter
ETIM 7	EC001506 - Kilowatt-hour meter
Object Classification Code	P
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)



### Data Collection

Wired Networks

Wireless Networks

IoT Technologies

Mbus & Pulse for any network

[sycous.com](http://sycous.com)